


Sculptura.01 – Product Specification



M 1:200

Terranos Sculptura– Sloping posts in the Terranos® netscape

Sculptura is the “sloping” addition to the otherwise straight Terranos range. A Sculptura element extends with three sloping Terranos posts across the diagonal of a 3 x 3 m (9'-10" x 9'-10") Terranos grid. The centre posts always slope in the opposite direction to the other two outer posts. The diagonal terminates with one straight Terranos post respectively.

Sculptura.01– At a glance.

Product Family:	Terranos & Terranova	Number of Foundations:	5 pc.
Item Number:	95.180.010	Concrete Volume C20/C25:	2.6 m³ (91.8 ft³)
Children's Age:	5+	Number of skilled installers required:	2
Fall Height (DIN EN 1176):	1.99 m (6'-7")	Installation Time without foundation:	2 hours
Length x Width x Height:	4.5 m x 2.3 m x 2.8 m (14'-8" x 7'-6" x 8'-11")	Dimensions of largest part:	0.1 m x 0.5 m x 4.1 m (0'-4" x 1'-8" x 13'-5")
Protective Surfacing Area (DIN EN 1176):	7.5 m x 5.3 m	Weight of heaviest part:	95 kg (209.4 lbs)
Protective Surfacing Area (ASTM 1487):	6.0 m x 8.2 m (19'-6" x 26'-8")	Shipping Volume:	4.0 m³ (141.3 ft³)
Minimum space required DIN EN 1176:	30.0 m²	Spare part guarantee:	Lifelong
Minimum space required ASTM 1487:	36.2 m² (389.7 sf)	Certificate according to DIN EN 1176:	Z2 16 01 10256 255 TÜV Product Service

Technical Data.

The following text can also be used for tenders.

Posts:

Steel pipes Ø 133 mm (5 ¼"); wall thickness 5 - 10 mm (3/16" - 3/8") with a round cast aluminum post top; anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

Terranos clamps:

Two-part cast aluminum connecting clamps for the height-adjustable connection of rope elements or steel pipes to Terranos steel posts; anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process

Rope:

U-Rope®-round strand ropes with galvanized and covered wires: external strands with non-abrasive UV-resistant Polyester-yarn (no Polypropylene); rope-diameter Ø 16 mm (5/8")

Nets:

Rope Ø 16mm (5/8"); mesh size minimum 250 x 250 mm (9-4/5"); rope crossing points localized by durable, drop forged aluminum ballknots (no plastic)


Berliner
 Berliner Seilfabrik GmbH & Co.
 Lengeder Straße 2/4
 D-13407 Berlin

Tel. +49.(0)30.41 47 24-0
 Fax +49.(0)30.41 47 24-33

info@berliner-seilfabrik.com
 www.berliner-seilfabrik.com

Revision: April 2016

Page 1

